

Vegetation Assessment at Fr. Muller Charitable Institutions, Mangalore



A rapid vegetation assessment was carried out at the Fr. Muller campus, Mangalore, June 2018. The enumeration revealed 71 identified plant species (Table 1) of herbs, shrubs, climbers and trees. Most of these species (~75%) were exotic garden ornamentals while some (~25%) of the plants were native. Some of these native tree species are native to Western Ghats rainforests such as *Artocarpus heterophyllus*, *Artocarpus hirsutus*, *Caryota urens*, *Magnolia champaca*, *Mangifera indica*, *Mimusops elengi*. Some taxa like *Lantana*, *Agalonema* and *Ficus benjamina* were observed

in several ornamental varieties and cultivars. Despite the largely exotic origin of these species they support a range of biodiversity such as wild pollinators, small frugivores, insects and micro fauna. As many of the ornamentals flowering plants attract butterflies, hoverflies and nectarivorous birds like sunbirds and flowerpeckers. Small fruit yielding species like *Ficus benjamina* (weeping fig), *Syzygium cuminii* (jamoon), *Polyalthia longifolia* (false asok), *Mimusops elengi* (spanish cherry) and *Muntingia calabura* (singapore cherry) would support several small fruivogores and seed dispersers like bulbuls, barbets, koels, parakeets, bats and squirrels. *Caryota urens* (fish tailed palm) in particular often supports bat roosts. Besides these, larger frugivores like hornbills, bonnet macaques and civet cats may occasionally visit. As the vegetation supports a multitude of insects and detritus organisms, small insectivorous predators would also be supported like spiders, geckos, calotes, skinks and rodents. The entirety of the system would create a small food web with predators such as kites, shikras, snakes and civets cats on top of the food chain.

Besides the ecological role of these plants, some of them provide uses for humans such as fruit, *Mangifera indica* (mango), *Carica papaya* (papaya), *Anacardium occidentale* (cashew), *Artocarpus heterophyllus* (jackfruit), *Cocos nucifer* (coconut). Plants like *Colocasia esculenta* (taro) and *Basella alba* can be cooked and eaten while *Borassus flabellifer* (palmyra) can produce a jaggery.

The rapid assessment of plants in the Fr. Muller campus revealed a large proportion of exotic species. However as the documentation has been basic and conducted in a short time there are certainly more species to be reported. Additionally the assessment has focused on the common, frequently used areas of the campus. A thorough inventory of the entire campus would expect to find more native species, particularly in the remnant forest fragment and accounting for seasonal natives. It may be recommended that future tree planting be focused more on native species over exotic species.



Some Western Ghats rainforest species *Mimusops elengi* and *Artocarpus hirsutus*

| Botanical name | Family | Common name | Habit | Origin | Notes |
|--------------------------------------|-----------------|---------------------------------|---------|--------|-----------------|
| <i>Acacia mangium</i> | Mimosaceae | Hickory wattle | Tree | Exotic | |
| <i>Acalypha wilkesiana</i> | Euphorbiaceae | Copperleaf | Shrub | Exotic | A few varieties |
| <i>Agave ssp</i> | Asparagaceae | Agave | Herb | Exotic | |
| <i>Aglaonema ssp</i> | Araceae | Chinese evergreen | Herb | Exotic | 3 varieties |
| <i>Albizia saman</i> | Mimosaceae | Rain tree | Tree | Exotic | |
| <i>Allamanda ssp1</i> | Apocynaceae | Allamanda yellow | Climber | Exotic | |
| <i>Allamanda ssp2</i> | Apocynaceae | Allamanda red | Climber | Exotic | |
| <i>Alternanthera bettzickiana</i> | Amaranthaceae | Calico plant | Habit | Exotic | |
| <i>Anacardium occidentale</i> | Anacardiaceae | Cashew | Tree | Exotic | |
| <i>Araucaria columnaris</i> | Araucariaceae | Christmas tree, Cook pine | Tree | Exotic | |
| <i>Areca catechu</i> | Areceae | Areca-nut | Tree | Native | |
| <i>Artocarpus heterophyllus</i> | Moraceae | Jackfruit | Tree | Native | Western Ghats |
| <i>Artocarpus hirsutus</i> | Moraceae | Wild Jackfruit | Tree | Native | Western Ghats |
| <i>Asparagus densiflorus</i> | Asparagaceae | Asparagus fern | Herb | Exotic | |
| <i>Averrhoa bilimbi</i> | Oxalidaceae | Bimbli | Tree | Exotic | |
| <i>Basella alba</i> | Basellaceae | Malabar spinach, Indian spinach | Climber | Native | |
| <i>Borassus flabellifer</i> | Araceae | Palmyra, Toddy palm | Tree | Native | |
| <i>Caesalpinia pulcherrima</i> | Caesalpiniaceae | Peacock flower | Shrub | Exotic | |
| <i>Canna ssp</i> | Cannaceae | Canna | Herb | Exotic | |
| <i>Carica papaya</i> | Caricaceae | Papaya | Herb | Exotic | |
| <i>Caryota urens</i> | Areceae | Fishtailed palm | Tree | Native | Western Ghats |
| <i>Catharanthus roseus</i> | Apocynaceae | Madagascar periwinkle | Shrub | Exotic | |
| <i>Cholorphytum comosum</i> cultivar | Asparagaceae | Spider plant | Herb | Exotic | |
| <i>Chrysalidocarpus lutescens</i> | Areceae | Golden Cane Palm | Tree | Exotic | |
| <i>Cocos nucifera</i> | Areceae | Coconut | Tree | Native | |
| <i>Colocasia esculenta</i> | Araceae | Taro | Herb | Native | |
| <i>Croton ssp variegated</i> | Euphorbiaceae | Croton | Shrub | Exotic | |
| <i>Cuphea hyssopifolia</i> | Lythraceae | False heather | Herb | Exotic | |
| <i>Cynodon dactylon</i> | Poaceae | Bermuda grass | Grass | Native | |
| <i>Dieffenbachia amoena</i> | Araceae | Dumb cane | Habit | Exotic | |
| <i>Dracaena ssp varigated</i> | Asparagaceae | Dracaena | Herb | Exotic | |
| <i>Duranta erecta</i> cultivar | Verbenaceae | Golden duranta | Shrub | Exotic | |
| <i>Epipremnum aureum</i> | Araceae | Money plant, devil's ivy | Climber | Exotic | |
| <i>Euphorbia milii</i> cultivar | Euphorbiaceae | Crown of thorns | Shrub | Exotic | |
| <i>Ficus benjamina</i> | Moraceae | Weeping fig | Tree | Exotic | A few varieties |
| <i>Ficus pumila</i> | Moraceae | Climbing Fig | Climber | Exotic | |


| Botanical name | Family | Common name | Habit | Origin | Notes |
|-------------------------------------|-----------------|-----------------------------------|---------------|-------------|---------------|
| <i>Gliricidia sepium</i> | Fabaceae | Mexican lilac | Tree | Exotic | |
| <i>Heliconia</i> spp cultivar | Heliconiaceae | Heliconia | Herb | Exotic | |
| <i>Hibiscus rosa-sinensis</i> | Malvaceae | China rose | Shrub | Exotic | |
| <i>Hymenocallis littoralis</i> | Amaryllidaceae | Spider lily | Herb | Exotic | |
| <i>Impatiens</i> spp | Balsaminaceae | Balsam | Herb | Exotic | |
| <i>Ixora coccinea</i> cultivar | Rubiaceae | Red Ixora | Shrub | Native | |
| <i>Ixora</i> spp1 | Rubiaceae | Ixora | Shrub | Exotic | |
| <i>Lagerstroemia speciosa</i> | Lythraceae | Queen's Pride | Tree | Native | |
| <i>Lantana camara</i> | Verbenaceae | Lantana | Shrub | Exotic | |
| <i>Lantana montevidensis</i> | Verbenaceae | Trailing Lantana | Herb | Exotic | |
| <i>Lantana</i> spp1 | Verbenaceae | | Herb | Exotic | |
| <i>Magnolia champaca</i> | Magnoliaceae | Champa | Tree | Native | Western Ghats |
| <i>Mangifera indica</i> | Anacardiaceae | Mango | Tree | Native | Western Ghats |
| <i>Mimusops elengi</i> | Spotaceae | Spanish cherry | Tree | Native | Western Ghats |
| <i>Muntingia calabura</i> | Muntingiaceae | Singapore cherry, Jamaican cherry | Tree | Exotic | |
| <i>Peltophorum pterocarpum</i> | Caesalpiniaceae | Copperpod | Tree | Exotic | |
| <i>Pennisetum setaceum</i> | Poaceae | Crimson fountain grass | Grass | Exotic | |
| <i>Philodendron</i> spp | Araceae | | Herb, Climber | Exotic | |
| <i>Plectranthus scutellarioides</i> | Lamiaceae | Coleus | Herb | Exotic | |
| <i>Plumeria alba</i> | Apocynaceae | Pagoda white | Tree | Exotic | |
| <i>Plumeria rubra</i> | Apocynaceae | Pagoda red | Tree | Exotic | |
| <i>Polyalthia longifolia</i> | Annonaceae | Flase ashok | Tree | Native | |
| <i>Pongamia pinata</i> | Fabaceae | Pongamia | Tree | Native | |
| <i>Pseuderanthemum</i> spp cultivar | Acanthaceae | | Shrub | Exotic | |
| <i>Roystonea regia</i> | Areceae | Royal palm | Tree | Exotic | |
| <i>Stenotaphrum dimidiatum</i> | Poaceae | Pemba grass | Grass | Native | |
| <i>Syzygium cumini</i> | Myrtaceae | Jamoon | Tree | Native | Western Ghats |
| <i>Tabernaemontana divaricata</i> | Apocynaceae | Crape Jasmine | Shrub | Exotic | |
| <i>Tamarindus indicus</i> | Caesalpiniaceae | Tamarind | Tree | Naturalized | |
| <i>Tecoma stans</i> | Bignoniaceae | Yellow bells | Tree | Exotic | |
| <i>Tectona grandis</i> | Verbenaceae | Teak | Tree | Exotic | |
| <i>Terminalia catappa</i> | Combretaceae | Indian almond | Tree | Native | |
| <i>Tradescantia spathacea</i> | Commelinaceae | Moses in the cradle | Herb | Exotic | |
| <i>Tridax procumbens</i> | Asteraceae | Tridax dasy | Herb | Naturalized | |
| <i>Zephyranthes candida</i> | Amaryllidaceae | White day lily | Herb | Exotic | |



Philodendron




Chlorophytum ssp




**Cultivar of Ficus
benjamina**



**Lawn variety of
Cynodon dactylon**



Ficus pumila



Asparagus densiflorus






Lantana sps



Tabernaemontana
divaricata



Peltophorum
pterocarpum




Mangifera indica




Areca catechu



**Duranta erecta
variety 'Golden'**






Catharanthus roseus




Ixora ssp




**Artocarpus
hirsutus**



Artocarpus heterophyllus



Lantana camara



Tridax
procumbens




Caesalpinia pulcherrima




Caryota urens





Anacardium occidentale



Gliricidia sepium






Pennisetum
setaceum



Tradescantia
spathacea






Lantana
montevidensis



Alternanthera
betzickiana





Plumeria rubra



Ixora coccinea



Euphorbia millii variety



**Ficus benjamina
varigated**



Cocos nucifera



Coleus ssp



Heliconia ssp



**Hymenocallis
littoralis**






Acalypha
wilkesiana



Acalypha wilkesiana -
copperleaf variety






Chlorophytum sps



Allamanda






Dieffenbachia
amoena



Aglaonema



Hibiscus rosa sinensis



Ficus benjamina varigated



Ixora ssp



Canna ssp





Plumeria alba



Agave sps



Syzygium cumini




**Asparagus
densiflorus**



**Polyalthia
longifolia**



Allamanda ssp



Pseuderanthemum ssp



Varigated Croton



Chrysalidocarpus lutescens





Colocasia esculenta




Muntingia calabura







Borassus flabellifer



**Zephyranthes
candida**



Albizia saman



Mimusops elengi



Lagerstroemia
speciosa





Basella alba



**Stenotaphrum
dimidiatum**





Impatiens spp



Albizia saman





Tectona grandis



Averrhoa bilimbi



Pongamia pinnata




**Araucaria
columnaris**





Acacia mangium




Mangifera indica







Terminalia catappa



**Artocarpus
heterophyllus**



Magnolia
champaca





Peltophorum
pterocarpum





Mangifera indica



Artocarpus hirsutus