

		oxygen	oxygen valve to	
	"	gazen	gazen to Repair	
ology	"	Tube light	Tube light to Repair	
u OT	"	bed light, switch	bed, light change, xray	veine box
ei	"	garden pipe	garden pipe to Repair	
maria c	"	flush	flush to be Repair	
SD	Sandip/Pat	Autoclave gaze	Auto clave and	gazen to
ward	"	oxygen, humidifier	oxygen valve and	humidifier
1st Floor	"	Heater	Heater to Repair	
u	Ram Raj/pavan	fan	Ceiling fan to fix	ceiling
undry	"	washing m/c	washing m/c belt,	gear Box
Maintenance	Omish/pavan	Shift duty	Routine work. Shift	duty
Maintenance	Prasthy/Nithish	Night duty	Routine work Night	duty
Round	gunraj/pavan	Rounds	Routine work	
ina GF	"	hot water	hot water pipe line	to Repair
ina II F	"	Wash Basin	Wash Basin Tap	to Repair
nd Ward Ist	"	Heater	Heater coil to put	
u MICU	"	Air luther	Air luther servicing	
sis, main post	"	Air luther	Air luther servicing	
SD	"	Air luther	Air luther servicing.	
Maintenance	Sylvestor	Water supply	Routine work Water	Supply M
Maintenance	Pillson	oxygen duty	Routine work Oxygen	Room gas
			Reading to check,	D-61 Room
			Compressor room Machine	R-o plan
			at 07, U.P.S. Batteries	boundary
			WORK.	
ward	Nithin/Stangh	Bulb	Bulb to put	
ward		flush, Tap	flush, and Tap	to Repair
ward		flush, Tap	flush and Tap	to Repair
ward		Tap	Tap to Repair	
ward		light	light to Repair	
ical store		fan, light	fan and light to	Repair
ls's		Wash Basin	Wash Basin to Repair	

Ward	"	"	fan	fan to repair	
Ward	"	"	Switch	Switch Board to Repair	
Ward	"	"	fridge	fridge to Repair	
Ward	"	"	humidity	humidity to check	
Ward	Wilson/keepak	"	humidity	humidity to check	
Ward	"	"	fridge	fridge to Repair	
G.U.	"	"	Switch Board	Switch Board to Repair	
G.U.	"	"	light	light to Repair	
Bank	"	"	Alc	Alc to check	
Ward	"	"	fan, light	fan and light to Repair	
Ward	"	"	tube light	tube light to Repair	
Agency	"	"	fan	fan to Repair	

10/05/2015

Maintenance	Chris/paraman	Sunday duty	Routine house work	Supply m
			Reading to check my	zen Room
			clock	Boe D.G. Room
			micu and dial's plant R.O	Water Boe
Maintenance	Ashek/paraman	night duty	Routine work	Room pu
			Boe Reading to check	D.G. Room
			Reading to check water	Supply m
			and dial's R.O plant	Boe work
			Prayer Room caret to	put, Street

11/05/2015

Ward	Joel/Nithish	R.O	R.O m/c to check	
Ward	Solati	"	Solati line to check	
Ward	"	"	fridge	fridge to Repair
Ward	"	"	fridge	fridge to Repair
Ward	"	"	Alc	Alc to checking
zen Room	"	"	cylinder	cylinder loading

[illegible]

W Bosco	Joel / Ashok	pump	addition pump to	put for
ward	William / Rekha	Bulb	Bulb to put	
ward	" "	tube light	tube light to	Repair
ward	" "	Switch Board	Switch Board	to Repair
in OT	" "	flush	flush to Repair	
emergency	" "	Bulb	Bulb to put	
in hostel	" "	STP Tank	STP tank water	to check
main tank	Prithvi / Gunraj	Water Supply	Main tank	water supply
C, Dn & Oxygen Room	" "	Rounds	see level, reset	& oxygen R
Transformer	" "	Reading	Reading to get	
R.O plant	" "	Back water	R.O water	filters Back
Monitory	" "	Temperature	Temperature to	check
Transformer	" "	Reading	Reading to get	
prayer Room	" "	cost	cost to	put
Monitory	" "	Temperature	Temperature to	check
Transformer	" "	Reading	Reading to	get
R.O plant	" "	Back water	R.O water	filters Back
main tank	" "	clock	main tank	syndicate clo
prayer Room	" "	lock	prayer Room	door lock
Medical College's	praveen / stay in	fan	fan canopy to	change.
	" "	office fan	office fan	to Repair
	" "	Switch	Switch to	changed.
	" "	capacitor	fan Capacitor	to change
the air	" "	wash Basin	wash Basin	to fix
Main tank	Sylvestor	water supply	main tank	water supply
U OT & post off	Wilson	Rounds A/c	Temperature	humidity post
J wood	" "	A/c	A/c to check	
central lab	" "	Fridge	Fridge to	check
oxygen Room	" "	A/c Comp	A/c Comp	to reset.
sound by	Ramiraj / praveen	Round	All site to check	daily R
U.O.V, P.O.V	" "	oxygen valve	oxygen valve	Repair work

(x ray)	"	Ductable A.C.	A.C. - Blower to check	
"	"	A.C not cooling.	A.P. L.P. Tripped to	Rest. & 2 NO A.C.
"	"	Moisture.	Co Fan Motor to	Renov.
o Hostel	"	A.C. Bill.	A.C and Motor to	Check.
P.D.	Guzaraj/Rilson	Bathroom light.	Bathroom light to	Repair.
"	"	Tube light.	Tube light to repair	
"	"	Water level.	Water level to check.	
"	"	Tube light.	Tube light to repair	
"	"	Switch board.	Switch board to	Repair.
"	"	U.P.S.	U.P.S. to test.	
"	"	Suction	Suction to repair.	
"	"	Cylinder.	Cylinder to unloading	
"	"	Reading water level.	Water level to	check.
"	"	Water meter reading	Water meter	loading to check.
"	"	Temp.	Moisture Temp	to check.
"	"	Reading.	D.C room Reading	to check.
Supply.	Sylvestre.	Routine work.	Water supply	Routine work.

05/09/15

Lab	Nithin.	Rounds.	All O-T Rounds.	
	Nithin/Rakesh	p.p.s.	Pipe line to	Repair.
Room	Ashok/Praanav	Rounds.	D.C room, B.O.C	Oxygen train fold
Room.	"	Filter back wash.	to plant g/l/tal	back wash done.
Room.	"	Transformer.	Transformer Reading	to check.
Room.	"	Tube light.	Tube light to	Repair.
Room.	"	formaline	R.O plant Tank.	formaline to put
Tank.	"	Water level check.	Water level to check	
Tank.	"	Water level.	Water level to	check.

T.	"	Tank empty.	R.O plant functioning	Tank empty.
st.	"	Tank filling.	R.O plant Tanks	filling.
T.	"	Tank empty.	R.O plant Tanks	empty & filling.
stop.	Loopak	Chiller to check.	Chiller to check	
can.	"	A.C water leakage.	A.C Indoor service.	
	"	Ductable A.C	A.C Blower to check.	
O.T	"	A.C. Not working.	H.P., L.P tripped to reset.	the A.C. 2nd A.C.
y.	"	Meagae.	Condenser Fan motor	to be removed.
Hostel.	"	A.C Bill	A.C amps meter to	check.
T 1 to 9.	willson	A.C Rounds	Temp, humidity, pressure	some gauge to check
stop.	"	"	"	"
T-1-3.	"	"	"	"
stop.	"	"	"	"
T 1-2	"	"	"	"
stop.	"	"	"	"
T	"	"	"	"
stop.	"	"	"	"
1, 2.	"	"	"	"
U	"	"	"	"
1 TU, Condenser	"	"	"	"
U	"	"	"	"
U	"	"	"	"
-5	"	"	"	"
	Exidger	Fridge	Fridge condenser motor	to be removed.
	A-Z pipe line.	A-Z pipe line	water leakage to repair	
am.	A-Z U.P.S.	A.C, U.P.S.	A.C mode to change	reset & U.P.S check
1 college office.	Tube light.	Tube light.	Tube light to repair	
college biochemistry lab.	Wash basin.	Wash basin	Wash basin leakage to	repair
1 college.	Tube light.	Tube light	Tube light to repair	

			MICU, NICU, Oriental ATM, Canteen, medical callage, Generator, main vcb
P B	"	Fan	2 no fan repair
A	"	" / Bathroom light	2 no fan repair / bathroom
lge cent	"	Bulb	Bulb to change
D	"	Bulb	Bulb to changed
copy	"	Bulb	Toilet bulb to changed
y	"	Tube light	Tube light to rep
ord	"	Tube light	Tube light to rep
duty	Pavan / Pristly	Rotain work	Rotain work for prayer Morgue Temp check, R.O Plant Boc, oxygen room, etc.
duty	wilson	Rotain work	Rotain work for Boc, R.O temp check Plant Boc
acc	Sachan	book register	book register maintaining
ward	Gunaraj / withen	grounds	Rotain grounds for All work
d	"	Oxygen	Oxygen flow meter to
l	"	Tube light, Dim bulb	Tube light to repair
l	"	Switch Board	Switch Board to
	"	Flush	Flush to repair
nd	"	Tap	Wash Basin Tap to
l	"	Oxygen, Dim bulb	Oxygen flow meter to rep
l	"	Tube light	Tube light to repair
l	"	Bulb	Bulb to changed
		suction / Bath room light	Bath room Light to cha

			blood bank	
room	Stany / Pradeep	Wiring	wiring for	lights
ania B	"	Tap	Tap to	repair
ania C		Switch Board	Switch Board	to rep
rounds	Shashank / Riddon	rotain work	rotain work	for all
OT		U.P.S	U.P.S TO	Reset
ney		Suction	Suction to	repair
		Pipe line	Pipe line to	repair
duty	unis / Nitresh.	rotain work	water level	to check,
lab	"	Tube light	Tube light	to repair
b	"	Tube light	Tube light	to repair
th	"	Switch Board	Switch Board	to repair
el 'c'	"	Tap	Tap to	repair
l 'A'	"	Fan	Fan to	Repair
duty	"	Rotain work	Rotain	work for
			morgue temp	etc
tenance	Sachan	Register	Register main	tening work
	Nitish	Reading.	take the BOC	reading and
n Room.		Grinder.	put the nitrous	cylinder and
ical lab.	"	Central lab.	Central lab chemical	to put
former room		Reading.	Reading to take	
plant.	"	Back Wash	Back Wash the	h.o. water filter
ry.		temperature.	checking the morgue	temperature.
n Room.	"	oxygen plant	to check the all	compressor
		Reading.	take the BOC.	Reading.

colleg building	"	Lab tap repaired Wiring work	
ig om	E. Sathian. Jee & Phadish	Re tank report checked Pump changed for Acbe wiring work	with Dr. Manjirath Dr. 15501418 old & it
ard	Nithin & Reshan	General ward rounds	
d	"	Regulator repaired	
Enol	"	LED light changed	
	"	Puckies checked	
rd	"	Fan shifting, Tap	fixed
d	"	Dim light fixed &	holder changed
oom	"	Cylinders unloaded.	
uty	Pradeep	Bac, TC, Dy room, Oxy temperature checked. loaded & unloaded.	gen room, Maternity Ro plant Ro Filter Diesel putted to
uty	Pishan & Pristhy	Bac, TC, Dy room, temperature checked checked in all pumps. main gate Sump pump	Oxygen room, Mat Ro plant Ro Filter Pumpwell well, Thot ON/OFF Chemical pl
urde	Reshan & Nithin	Atakiran & General	wards rounds
d	"	Regulator changed	
ward	"	LED tubelight is	changed
d	"	Puckies checked	
	"	Wall mounted fan	shifted & tap
	"	Dim light fixed &	holder changed

Water	"	Water supply work & readings checked.
Supply	Deepak	Water level checked in main sump, main pump, main pump. General sump & main gate pump. Pumpwell pump on/off. Check.
Electricity	Ashok & Pawan	AC is fixed
Electricity	"	Lights are repaired
Dept	"	Wall mounted fan fixed
Lab	"	Tripped UPS reset
Lab	"	Fan repaired, Tubelight & switch board re
Lab	"	Extension board repaired
Lab	"	Oxygen flow meter is repaired
Lab	"	Tubelight repaired & AC checked
Area	Pravendra & Sonu	Wiring work
College	"	Tubelight repaired
Lab	"	Flush & fan repaired.
Lab	Gurraj	All OT rounds
Lab	"	Re water checked
Lab	"	Flush is repaired
Lab	"	Pushion valve repaired
Lab	"	Tap & washbasin tap repaired
Lab	"	Bathroom light repaired
Lab	Rakesh & Vinkun	Oxygen humidifier repaired
Lab	"	Pipe line work
Lab	"	Wiring pipes fixed

rounds	Praveen.	All OT rounds	
reading	"	HT & TG readings checked	
word	Praveen, Shailosh	Medial College B block	UPS shifting
is	"	Bell repaired.	
to	Pawan B & Gurnag	veg & nonveg not working.	
lab	"	AG not working reseted.	
bank	"	UPS. Dan sound. checked.	
walk	"	Water supply work	
Postop	"	UPS checked.	
ord	"	Tubelight replaced.	
St 20	"	Fan connection given	
work	"	Water supply work &	reading checked.
	Pradeep.	Tubelight repaired.	
	"	Trip reseted	
OPD	"	Puction repaired	
	"	Toilet light replaced	
Building	"	Breaker changed.	
adings	"	Motor readings checked.	
ilding	"	Lights removed.	
	"	Fan replaced.	
G	"	Toilet light repaired	
Nursing	"	Speaker wiring work.	
duty	Ivan & Vinklen	BOG, TG, O ₂ , Oxygen	room checked. MASH
		temperature checked. No plant	& No filter back
		in. main Pump, main Tank,	main gate Pump.
		Stale Pump & Auditorium	Pump. All pumps
		drum checked	

my	"	Body no's & Greaser	temperature checked
me	"	Ro plant & Ro filter	backwashed.
my	"	Body no's & Greaser	temperature checked
room	"	Oxygen room cleaned. Tc is removed.	& Dry readings checked
Quater parking	Unig & Wilson	Flush tank, Fan, tubelight, Street lights removed.	switch board
manic	Shadish	Documentation with	
my	Ravi & Nitin	laundry rounds	
	"	Autoclave, born small	checked. Autoclave
my	"	Water leakage in Glesch pipe	checked & repaired
my	"	Flush pipe line.	
id	"	16w CFL changed.	
	Deepak & Priyanka	PIP rounds & heater rounds	
age	"	All meter readings checked.	
	"	Tubelight repaired.	
via	"	AG checked. Bathroom	bulb changed.
with	Ryusaku	low water level checked in sump, General sump pump main gate & main pump	main pump, main & Autoclave sump pump on/off.